

Creation of Text Copies as PDF

FIG. 1B





FIG. 2

Searching Non-PDF Files

## Finding Other Matches

To find other matches, use these buttons on the Acrobat Reader toolbar.



To ...

Click:

Find the next match

Next Highlight

Find the previous match

Previous Highlight

Display a list of documents  
that contain matches

Search Results


Change your search

Search

OK

Best Available Copy

FIG. 3



**FIG. 4**





THESE ARE THE NAMES OF THE  
 PEOPLE WHO WERE WITH ME  
 IN THE HOUSE OF GOD




FIG. 7

## Converting HTML Help (CHM) Files to RTF








FIG. 9

Searching Multiple File Types via PDF Copies

This page contains  
unformatted text.

Open  
Topic

### Establishing a Named Pipe to a COMS Application

Establishing a Named Pipe to a COMS Application

Note: This functionality is applicable to ClearPath servers only.  
To establish a named pipe to a COMS application, a client program opens a named pipe of the following form:

Notice the first three nodes of the named pipes filename are fixed: \\<server>\PIPE\COMS. If the 4th node and beyond is a <Pipes PCM template>, then the resulting dialog's service attribute (that is, the next CCF service in the connection) is specified by the template's service attribute. If this attribute is undefined, then the first node of the <Pipes PCM template> name is used as the next CCF service in the connection. If a template exists having an asterisk as its last character, this character is treated as a wildcard. This causes an association with any named pipes filename that matches the characters preceding the asterisk. When the wildcard templates conflict, the template with the most characters takes precedence. A template of only an asterisk becomes the default for named pipes files that do not match a specified filename.

Example:

A template of PAYROLL\* would be applied to the named pipe  
\\SRV\PIPE\COMS\PAYROLL\PAYWIND and  
\\SRV\PIPE\COMS\PAYROLL\PAYWIND\STAABC

If the 4th and subsequent nodes do not match to a <Pipes PCM template>, the 4th node itself is considered to be a <CCF service>. In this case, the resulting dialog's service attribute (that is, the next CCF service in the connection) is this <CCF service>. This connection then uses the Pipes PCM default template identified by a \* for its connection attributes. No attributes are currently defined for this default template, but that doesn't prevent it from being modified.

Other connection attributes are gleaned directly from NX/Services. These attributes include: UserCode, ComputerName, Domain, PCUser, and IPAddress.

### Establishing a Named Pipe to a COMS Application

Note: This functionality is applicable to ClearPath servers only.

To establish a named pipe to a COMS application, a client program opens a named pipe of the following form:

\\<server> \ PIPE \ COMS \   
 <CCF service>   
 <Pipes PCM template> \ <COMS>

Notice the first three nodes of the named pipes filename are fixed: \\<server>\PIPE\COMS. If the 4th node and beyond is a <Pipes PCM template>, then the resulting dialog's service attribute (that is, the next CCF service in the connection) is specified by the template's service attribute. If this attribute is undefined, then the first node of the <Pipes PCM template> name is used as the next CCF service in the connection. If a template exists having an asterisk as its last character, this character is treated as a wildcard. This causes an association with any named pipes filename that matches the characters preceding the asterisk. When the wildcard templates conflict, the template with the most characters takes precedence. A template of only an asterisk becomes the default for named pipes files that do not match a specified filename.

Example:

UNFORMATTED TEXT

ORIGINAL FILE

FIG. 10

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**